

Level 1
Semester 2


Pathology

MCQ

LECTURE 3

3

L.E



DR/ M. Sh.



MCQ ON LECTURE 3

<p>1- The most probable type of arthritis affecting big joints of an old, obese patient is :</p> <p>a. Rheumatic arthritis b. Rheumatoid arthritis c. Osteoarthritis d. Gouty arthritis e. Syphilitic arthritis.</p>	<p>C</p>
<p>2- Pannus of rheumatoid arthritis consists of :</p> <p>a. Calcified synovium b. Necrotic fibrous tissue c. Degenerating cartilage d. Chronically inflamed synovium e. Dislocated joint</p>	<p>D</p>
<p>3- A male patient has a cystic swelling over his wrist. The cyst contains a clear, gelatinous fluid and smooth wall. The most probable diagnosis is</p> <p>a. Rheumatic arthritis b. Rheumatoid arthritis c. Synovioma d. Ganglion cyst e. Pigmented villo-nodular synovitis</p>	<p>D</p>
<p>4- Osteophytes are :</p> <p>a) Areas of congestion and inflammation in synovial membrane b) Areas of degeneration in central part of articular cartilage c) Exposed bone under degenerated cartilage d) Small bony projections formed at the joint periphery e) Non of the above</p>	<p>D</p>
<p>5- The following is not true regarding Rheumatoid arthritis :</p> <p>a) Affects large weight bearing joints as hip and knee b) More common in females c) Occurs in middle age d) Anti IgG antibody is called Rheumatoid factor e) Non of the above</p>	<p>A</p>



<p>6- Rheumatoid arthritis are not characterized by :</p> <ul style="list-style-type: none"> a) Creeping chronic inflammation b) Destruction of central part of articular cartilage c) Pannus formation d) Fibrous ankylosis e) Osteoporosis 	<p>B</p>
<p>7- Pigmented villonodular synovitis is characterized by all except :</p> <ul style="list-style-type: none"> a) Benign proliferation of synovium b) Shaggy with villous projections c) Solid tumor d) Fibroblasts are present e) Histiocytes contain hemosiderin pigment 	<p>C</p>
<p>8- Regarding synovial sarcoma , Which is least likely to be true :</p> <ul style="list-style-type: none"> a) Affects young age b) Biphasic tumor c) Slow growth d) Blood spread e) Lymphatic spread 	<p>E</p>
<p>9- The Following is not a cause of infectious arthritis :</p> <ul style="list-style-type: none"> a) Gouty arthritis b) Suppurative arthritis c) Traumatic arthritis d) Tuberculosis e) Syphilis 	<p>A</p>
<p>10- The most common joint to be affected by gouty arthritis is :</p> <ul style="list-style-type: none"> a) Metatarsophalangeal joint of little toe b) Metatarsophalangeal joint of big toe c) Wrist d) Shoulder e) Knee 	<p>B</p>
<p>11- All the following are Benign tumors of Joint except :</p> <ul style="list-style-type: none"> a) Ganglion b) Synovial cyst c) Synovial sarcoma d) Giant Cell Tumor Of Tendon Sheath e) Pigmented villonodular synovitis 	<p>C</p>



<p>12- Old man with swollen inflamed joint of big toe , joint aspiration revealed Uric acid crystals deposited surrounded by inflammatory cells The most probable type of arthritis affecting this man is :</p> <p>a. Rheumatic arthritis b. Rheumatoid arthritis c. Osteoarthritis d. Gouty arthritis e. Syphilitic arthritis.</p>	<p>D</p>
<p>13- A 40 years old woman presented with pleurisy and morning stiffness lasting for 60 minutes , swollen small joints of the hands with Erosion of the articular cartilage mainly at the periphery The most probable type of arthritis affecting this patient is :</p> <p>a. Rheumatic arthritis b. Rheumatoid arthritis c. Osteoarthritis d. Gouty arthritis e. Syphilitic arthritis.</p>	<p>B</p>
<p>14- Old man with swollen inflamed knee joint , joint aspiration revealed blood with many pus cells and turbid fluid The most probable type of arthritis affecting this man is :</p> <p>a. Rheumatic arthritis b. Rheumatoid arthritis c. Osteoarthritis d. Gouty arthritis e. Suppurative arthritis.</p>	<p>E</p>
<p>15- Rheumatoid arthritis Mainly affects which joint of the following :</p> <p>a) Knee joint in females b) Intervertebral joint c) Joint of the big toe d) Small joints of hands and feet e) Atlanto axial joint</p>	<p>D</p>
<p>16- Gouty arthritis Mainly affects which joint of the following :</p> <p>a) Knee joint in females b) Intervertebral joint c) Joint of the big toe d) Small joints of hands and feet</p>	<p>C</p>



<p>17- Osteoarthritis Mainly affects which joint of the following :</p> <ul style="list-style-type: none"> a) Knee joint in females b) Intervertebral joint c) Joint of the big toe d) Small joints of hands and feet e) Atlanto axial joint 	<p>A</p>
<p>18- All of the following is true regarding osteoarthritis except :</p> <ul style="list-style-type: none"> a) Degenerative disease b) Affects large joints c) Males are more affected than females d) Degeneration affects central part of articular cartilage e) Common in old age 	<p>C</p>
<p>19- The Following is not a cause of infectious arthritis</p> <ul style="list-style-type: none"> a) Gouty arthritis b) Suppurative arthritis c) Traumatic arthritis d) Tuberculosis e) Syphilis 	<p>A</p>
<p>20- The most common joint to be affected by gouty arthritis is</p> <ul style="list-style-type: none"> a) Metatarsophalangeal joint of little toe b) Metatarsophalangeal joint of big toe c) Wrist d) Shoulder e) Knee 	<p>B</p>
<p>21- All of the following is true regarding osteoarthritis except</p> <ul style="list-style-type: none"> a) Degenerative disease b) Affects large joints c) Males are more affected than females d) Degeneration affects central part of articular cartilage e) Common in old age 	<p>C</p>
<p>22- Osteophytes are</p> <ul style="list-style-type: none"> a) Areas of congestion and inflammation in synovial membrane b) Areas of degeneration in central part of articular cartilage c) Exposed bone under degenerated cartilage d) Small bony projections formed at the joint periphery e) Non of the above 	<p>D</p>



<p>23- The following is not true regarding Rheumatoid arthritis</p> <ul style="list-style-type: none"> a) Affects large weight bearing joints as hip and knee b) More common in females c) Occurs in middle age d) Anti IgG antibody is called Rheumatoid factor e) Non of the above 	<p>A</p>
<p>24- Rheumatoid arthritis are not characterized by</p> <ul style="list-style-type: none"> a) Creeping chronic inflammation b) Destruction of central part of articular cartilage c) Pannus formation d) Fibrous ankylosis e) Osteoporosis 	<p>B</p>
<p>25- Pigmented villonodular synovitis is characterized by all except</p> <ul style="list-style-type: none"> a) Benign proliferation of synovium b) Shaggy with villous projections c) Solid tumor d) Fibroblasts are present e) Histiocytes contain hemosiderin pigment 	<p>C</p>
<p>26- Regarding synovial sarcoma , Which is least likely to be true</p> <ul style="list-style-type: none"> a) Affects young age b) Biphasic tumor c) Slow growth d) Blood spread e) Lymphatic spread 	<p>E</p>