


LEVEL (3) - SEMESTER (5)

# FORENSIC



LECTURE (5) - MCQS

DR. KHALED MOHEY

<p><b>1. In civil conditions, identification is needed for all except:</b></p> <p>A) Marriage B) Insurance claim C) Criminal accusation D) Passport issuance</p>	<b>C</b>
<p><b>2. In criminal cases, identification helps in:</b></p> <p>A) Identifying inherited disease B) Detecting impersonation and newborn interchange C) Issuing birth certificates D) Assessing insurance eligibility</p>	<b>B</b>
<p><b>3. The number of milk teeth is:</b></p> <p>A) 28 B) 20 C) 30 D) 32</p>	<b>B</b>
<p><b>4. Eruption of first permanent molar occurs at:</b></p> <p>A) 4 years B) 5 years C) 6 years D) 8 years</p>	<b>C</b>
<p><b>5. Sex chromatin (Barr body) is found in:</b></p> <p>A) Male somatic cells B) Female somatic cells C) Both sexes equally D) Only germ cells</p>	<b>B</b>

<p><b>6. The smear for sex chromatin test is usually taken from:</b></p> <p>A) Blood B) Nail bed C) Buccal mucosa D) Hair follicle</p>	<b>C</b>
<p><b>7. Race can be determined from all except:</b></p> <p>A) Hair B) Skin color C) Skull shape D) Finger print pattern</p>	<b>D</b>
<p><b>8. The total number of permanent teeth in adults is:</b></p> <p>A) 20 B) 28 C) 32 D) 36</p>	<b>C</b>
<p><b>9. Callosities on hands are usually seen in:</b></p> <p>A) Teachers B) Workers in dye or leather industries C) Clerks D) Tailors</p>	<b>B</b>
<p><b>10. The term “Dactylography” refers to:</b></p> <p>A) Study of speech patterns B) Study of finger prints C) Study of skull bones D) Study of foot prints</p>	<b>B</b>

<p><b>11. The impression left by the sole of the foot is useful for:</b></p> <ul style="list-style-type: none"><li>A) Identifying diet habits</li><li>B) Detecting limping, height, or abnormality</li><li>C) Determining blood type</li><li>D) Measuring bone density</li></ul>	<b>B</b>
<p><b>12. Poroscopy is used when:</b></p> <ul style="list-style-type: none"><li>A) Complete finger print is available</li><li>B) Only part of the finger print is available</li><li>C) Only foot print is available</li><li>D) DNA print is required</li></ul>	<b>C</b>
<p><b>13. A woman was raped by multiple persons, The most significant test to be performed is:</b></p> <ul style="list-style-type: none"><li>A) Acid phosphatase test</li><li>B) Microscopic test</li><li>C) Florescence test</li><li>D) DNA fingerprinting</li></ul>	<b>D</b>
<p><b>14. Age of male governmental employment is identified by union of:</b></p> <ul style="list-style-type: none"><li>A) Distal ends of metacarpal bones</li><li>B) Upper ends of tibia and fibula</li><li>C) Upper ends of radius and ulna</li><li>D) Lower ends of radius and ulna</li></ul>	<b>A</b>
<p><b>15. In case of hermaphrodite, identification is confirmed by:</b></p> <ul style="list-style-type: none"><li>A) Dactylography</li><li>B) Poroscopy</li><li>C) Sex chromatin test</li><li>D) Lip prints</li></ul>	<b>C</b>

<p><b>16. Age of free consent in rape can be identified by epiphyseal union of:</b></p> <p>A) Lower ends of tibia and fibula B) Upper ends of tibia and fibula &amp; lower ends of femur C) Upper ends of radius with the shaft D) Lower ends of radius and ulna</p>	<b>D</b>
<p><b>17. Age of complete civil rights can be detected in females by:</b></p> <p>A) Union of distal ends of metacarpals B) Fusion of sternal end of clavicle C) Union of epiphyses around knees D) Fusion of trochlea and capitulation</p>	<b>B</b>
<p><b>18. The age of complete civil rights in males could be identified by doing X-ray on the</b></p> <p>A) Ankle B) Elbow C) Hand D) Knee E) Shoulder</p>	<b>D</b>
<p><b>19. On giving a medical certificate to a male for driving license, the identified by an X-ray on:</b></p> <p>A) The knee B) The hand C) The wrist D) The elbow</p>	<b>B</b>
<p><b>20. A male individual has claimed that he has the right to inheritance of his dead father's money, you could confirm his age by doing x-ray on the following joint:</b></p> <p>A) Shoulder B) Ankle C) Elbow D) Wrist E) Knee</p>	<b>E</b>

<p><b>21. The union of epiphysis of medial epicondyle of humerus with the shaft occurs at the same age of union of:</b></p> <p>A) Head of humerus B) Iliac crest with ilium C) Upper end of radius with the shaft D) Upper end of ulna with the shaft</p>	C
<p><b>22. The age of marriage can be identified in both sexes best by:</b></p> <p>A) Eruption of wisdom tooth B) X-ray on skull C) X-ray on knee D) X-ray on hand</p>	D
<p><b>23. A crime with fragmentary print at the scenes the usual method of identification is:</b></p> <p>A) Dactylography B) Footprint C) Poroscopy D) Lip print</p>	C